REV.	ECO/DDC	DESCRIPTION	DATE	DRAFT	CHECK	APV'D
Α		RELEASED.	06-03-24	V.J.C.	J.M.	V.J.C.

6. SEE SHEETS 2, 3 AND 4 FOR ADDITIONAL INFORMATION.



IT SUMMING CARD, HARDY PART NUMBER HI6011IT—SC1, IS INSTALLED WITHIN INTERNAL JUNCTION BOX MODEL NUMBER HI6011IT—ABS1. SEE SHEET 4 FOR WIRING DIAGRAM.



SCALE CABLE, HARDY PART NUMBER 0509-0546-L16FT, IS 8 CONDUCTOR, SHIELDED AND 15 FEET \pm 1.00 INCHES IN LENGTH. SCALE CABLE SHIELD IS CONNECTED TO THE IT SUMMING CARD, HARDY PART NUMBER HI6011IT-SC1.



C2 WIRE COLOR CODE FLAG LABEL ON END OF SCALE CABLE.

EXCITATION + RED EXCITATION -BLACK SENSE + BLUE SENSE -BROWN SIGNAL + GREEN SIGNAL -WHITE C2 + GRAY C2 -VIOLET SHIELD YELLOW OR BARE

- 2. THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE.
- 1. RATED OUTPUT: $2.000 \pm 0.002 \text{mV/V}$.

NOTES: UNLESS OTHERWISE SPECIFIED

PROPRIETARY NOTICE
ALL DATA AND INFORMATION CONTAINED IN OR DISCLOSED BY THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY INFORMATION OF HARDY PROCESS SOLUTIONS INC. AND ALL RIGHTS THEREIN ARE EXPRESSLY RESERVED.
BY ACCEPTING THIS MATERIAL THE RECIPIENT AGREES THAT THIS MATERIAL AND THE INFORMATION CONTAINED THEREIN IS HELD IN CONFIDENCE AND IN TRUST AND SHALL NOT BE USED, COPIED, REPRODUCED IN WHOLE OR IN PART, NOR ITS CONTENTS REVEALED IN ANY MANNER TO OTHERS, EXCEPT TO MEET THE SPECIFIC PURPOSE FOR WHICH IT WAS DELIVERED.

		0588-0	0227	OUTLINE DRAWING, HIDS SERIES DRUM SCALES					SEE SHEET 2	SEE SHEET 2 FOR PART NUMBERS		
ITEM	QTY	PART N	UMBER	DESCRIPTION					(COMMENTS		
					PA	RTS I	LIST					
UNLESS OTHERWISE SPECIFIED CONTRACT DIMENSIONS ARE IN INCHES				NO.		LADRY						
TOLERANCES ARE:			APPROVALS									
FRACTIONS: N/A DECIMALS: $.X = \pm .1$ $.XX = \pm .03$		DRAWN		DATE	PROCESS SOLUTIONS							
		V. CHULA		05-14-24	OUTLINE DRAWING,							
ANGLES: ±0°, 30°			CHECKED	DATE								
MATERIAL		J. MOEN		05-30-24		LUDG GEDIEG DDUNA GOALEG						
		APPROVED V. CHULA		DATE 06-03-24	HIDS SERIES DRUM SCALES							
						SIZE	FSCM	DRAWIN	IG NO.		REV.	
FINISH DO NOT SCALE DRAWING			ISSUED V. CHULA		DATE 06-03-24	_				. –		
			** ****			D	21316		0588 - 022	8-022/		
		PRODUCTION		DATE .	FILE NAME: 588227A1.DWG SCALE: NONE SHEET 1 OF 4					OF 4		

			MODEL N	UMBER CONF	IGURATION C	HART		
MODEL NUMBER	CAPACITY (LBS)	DIMENSION A	DIMENSION B	DIMENSION C	DIMENSION D	SCALE MATERIAL	DECK TYPE	LOAD SENSOR MODEL NUMBER
HIDS-3030-500LB-PS-S	500	30 IN	30 IN	34 IN	26.5 IN	PAINTED STEEL	SMOOTH	HISLB-200LB (QTY 4)
HIDS-3030-500LB-PS-T	500	30 IN	30 IN	34 IN	26.5 IN	PAINTED STEEL	TREAD	HISLB-200LB (QTY 4)
HIDS-3030-500LB-SS-S	500	30 IN	30 IN	34 IN	26.5 IN	STAINLESS STEEL	SMOOTH	HISLB-200LB (QTY 4)
HIDS-3030-500LB-SS-T	500	30 IN	30 IN	34 IN	26.5 IN	STAINLESS STEEL	TREAD	HISLB-200LB (QTY 4)
HIDS-3030-1500LB-PS-S	1500	30 IN	30 IN	34 IN	26.5 IN	PAINTED STEEL	SMOOTH	HISLB-500LB (QTY 4)
HIDS-3030-1500LB-PS-T	1500	30 IN	30 IN	34 IN	26.5 IN	PAINTED STEEL	TREAD	HISLB-500LB (QTY 4)
HIDS-3030-1500LB-SS-S	1500	30 IN	30 IN	34 IN	26.5 IN	STAINLESS STEEL	SMOOTH	HISLB-500LB (QTY 4)
HIDS-3030-1500LB-SS-T	1500	30 IN	30 IN	34 IN	26.5 IN	STAINLESS STEEL	TREAD	HISLB-500LB (QTY 4)
HIDS-3030-3000LB-PS-S	3000	30 IN	30 IN	34 IN	26.5 IN	PAINTED STEEL	SMOOTH	HISLB-1KLB (QTY 4)
HIDS-3030-3000LB-PS-T	3000	30 IN	30 IN	34 IN	26.5 IN	PAINTED STEEL	TREAD	HISLB-1KLB (QTY 4)
HIDS-3030-3000LB-SS-S	3000	30 IN	30 IN	34 IN	26.5 IN	STAINLESS STEEL	SMOOTH	HISLB-1KLB (QTY 4)
HIDS-3030-3000LB-SS-T	3000	30 IN	30 IN	34 IN	26.5 IN	STAINLESS STEEL	TREAD	HISLB-1KLB (QTY 4)
HIDS-3636-500LB-PS-S	500	36 IN	36 IN	40 IN	32.5 IN	PAINTED STEEL	SMOOTH	HISLB-200LB (QTY 4)
HIDS-3636-500LB-PS-T	500	36 IN	36 IN	40 IN	32.5 IN	PAINTED STEEL	TREAD	HISLB-200LB (QTY 4)
HIDS-3636-500LB-SS-S	500	36 IN	36 IN	40 IN	32.5 IN	STAINLESS STEEL	SMOOTH	HISLB-200LB (QTY 4)
HIDS-3636-500LB-SS-T	500	36 IN	36 IN	40 IN	32.5 IN	STAINLESS STEEL	TREAD	HISLB-200LB (QTY 4)
HIDS-3636-1500LB-PS-S	1500	36 IN	36 IN	40 IN	32.5 IN	PAINTED STEEL	SMOOTH	HISLB-500LB (QTY 4)
HIDS-3636-1500LB-PS-T	1500	36 IN	36 IN	40 IN	32.5 IN	PAINTED STEEL	TREAD	HISLB-500LB (QTY 4)
HIDS-3636-1500LB-SS-S	1500	36 IN	36 IN	40 IN	32.5 IN	STAINLESS STEEL	SMOOTH	HISLB-500LB (QTY 4)
HIDS-3636-1500LB-SS-T	1500	36 IN	36 IN	40 IN	32.5 IN	STAINLESS STEEL	TREAD	HISLB-500LB (QTY 4)
HIDS-3636-3000LB-PS-S	3000	36 IN	36 IN	40 IN	32.5 IN	PAINTED STEEL	SMOOTH	HISLB-1KLB (QTY 4)
HIDS-3636-3000LB-PS-T	3000	36 IN	36 IN	40 IN	32.5 IN	PAINTED STEEL	TREAD	HISLB-1KLB (QTY 4)
HIDS-3636-3000LB-SS-S	3000	36 IN	36 IN	40 IN	32.5 IN	STAINLESS STEEL	SMOOTH	HISLB-1KLB (QTY 4)
HIDS-3636-3000LB-SS-T	3000	36 IN	36 IN	40 IN	32.5 IN	STAINLESS STEEL	TREAD	HISLB-1KLB (QTY 4)


OUTLINE DRAWING, HIDS SERIES DRUM SCALES


D 21316


0588-0227

SHEET 2 OF 4


FILE NAME: 588227A1.DWG SCALE: NONE








SCALE CABLE WIRING



LOAD CELL CABLE WIRING





OUTLINE DRAWING, HIDS SERIES DRUM SCALES

D 21316

0588-0227

FILE NAME: 588227A1.DWG SCALE: NONE

SHEET 4 OF 4